

# Teslights+



## LED WALLPACK



The images are merely illustrative, some technical features and accessories may be changed without notice.



November 2020

For additional information, please contact us  
[www.teslights.com](http://www.teslights.com) - [info@teslights.com](mailto:info@teslights.com)



## Product Description

Durable and bright, Teslights LED Wall Pack are a superior choice as direct replacement for antiquated systems, featuring powerful beams that shine with long-lasting quality and efficiency. These lamps are easily adjustable by angle of illumination, making our LED Wall Pack today's best technology for lighting public buildings, secure facilities, parking structures, gyms, large venues, industrial-purpose zones, and sports arenas. Representing the perfect choice for assuring both interior and exterior lighting excellence, Wall Packs made by Teslights are now available in a large amplitude of wattages featuring enhanced weather, wear resistance and five years of factory warranty.



## Key Features


- **Highly efficient driver**
- **Modular manufacturing process**
- **5 year factory warranty**
- **No rewiring of fixture, minimizing replacement and maintenance costs**
- **Ideal for 70 - 400W metal halide lamps replacement**

## Product Specifications


<b>LED package:</b>	SMD Philips 3030
<b>Power consumption:</b>	30 - 120W ±5%
<b>Input voltage:</b>	100~277V AC 50/60Hz
<b>Efficacy:</b>	Up to 110 lm/W
<b>THD:</b>	<10%
<b>P.F.:</b>	>0.90
<b>CRI:</b>	>75
<b>Material:</b>	Aluminun alloy and PC cover
<b>Beam angle:</b>	130°
<b>IP rating:</b>	IP65
<b>Operating Temperature:</b>	-30C° ~ +60C°

## Product Measurement

### WPC 40-100W



### WPC 120W



Model	Measures (AxBxC)
WPC 30W-100W	361 x 235 x 187 mm
WPC 120W	465 x 236 x 230 mm




## Ordering Guide

Example: WPCS40M100C40

Type	Dim o Non-Dim	Watts	Power/Voltage	Efficiency	Cover	CCT	
<b>WPC</b>	<b>S</b>	<b>40</b>	<b>M</b>	<b>110</b>	<b>C</b>	<b>40</b>	
<b>WPC</b>	<b>S</b>	Non-Dimmable	<b>30</b> 30 W <b>40</b> 40 W <b>60</b> 60 W <b>80</b> 80 W <b>100</b> 100 W <b>120</b> 120 W	<b>M</b> Internal 100-277V 50/60Hz	<b>110</b> 110lm/W	<b>C</b> Clear	<b>40</b> 4000 K <b>50</b> 5000 K



# Teslights+



**World Headquarters**

4000 Montgomery Dr.

Suite L3

Santa Rosa, CA 95403, USA

+1 707 536 5467

[www.teslights.com](http://www.teslights.com) - [info@teslights.com](mailto:info@teslights.com)